Gastroenterology Center & Endoscopy	Check One: EGD EGD/DIL EGD Bravo	 Eso Manometry Liver Biopsy ERCP 	GREGORY S. SMITH, M.D. Board Certified Gastroenterology & Hepatology KHALED K. NOUR, M.D. Board Certified Gastroenterology & Hepatology	
Your procedure is scheduled with: (<i>Check one</i>): Gregory S. Smith, M.D. Khaled K. Nour, M.D.				
Patient Name:		DOB:		
Procedure Date:		Arrival Time:	AM/ PM	
	Your pro	ocedure will be performed at this facilit	ty:	
Athens Regional Medical Center		St. Mary's Hospital	Athens Endoscopy, LLC	
1199 Prince Avenue		1230 Baxter Street	21 Jefferson Place – <u>Suite 2</u>	
Athens, GA 30606		Athens, GA 30606	Athens GA 30606	
706-475-7000		706-389-3000	706-433-0788	
Before the Procedure:				

- ✤ Have a meal for dinner on the day before the procedure.
- * You may have a clear liquid up to 2 hours prior to procedure.
- Please take your heart, blood pressure, thyroid and or seizure medications the morning of the procedure with a SMALL sip of water, just enough water to swallow the pill. If you are diabetic, check with your physician before taking your medication.
- You must be accompanied by a friend or relative to drive you home. Please ask them to stay with you to speak with the doctor following your procedure. You MAY NOT drive or go home in a taxi or bus. If these instructions are not followed then your procedure may be cancelled.

Special Instructions:

- **<u>Diabetic:</u>** Hold morning dose of insulin the day of the procedure, but bring it with you to the hospital. Other instructions:
- Heart: If you have an artificial heart valve, or have a previous history of endocarditis, or other specific indication, your doctor may need to prescribe pre-procedure antibiotics. Other instructions:
- <u>Blood Thinners:</u> Stop Aspirin; anti-inflammatory medications such as ibuprofen (Advil, Aleve, and Motrin) iron, Fish Oil, Herbal Supplements and ALL Vitamins, at least _____ days before the procedure.
- You may take Tylenol or other brands of Acetaminophen are safe to take.
- <u>Your Info & All Medications</u>: Bring your license and insurance cards. Bring an updated list of your prescriptions, over-thecounter medications, vitamins and herbal medications. Include the dosages next to each medication. List allergies to any medications, including conditions that would make you sensitive to sedation.

After the Procedure:

- You may resume a normal diet and medications as tolerated unless otherwise instructed by your physician. Start with a light meal to minimize "bloating."
- If the IV site is painful or red, place a warm compress on the site until it improves. If it does not improve within 24 hours, please call your physician.
- A small amount of rectal spotting (stool, mucous, or blood) may occur after the procedure.

Please call the doctor immediately if any of the following occur:	If you had a biopsy or polypectomy, please follow these additional instructions:
 Severe abdominal pain. Oral temperature greater than 100 degrees F. Heavy rectal bleeding (not spotting). Vomiting blood. 	 Rest quietly and minimize activity for the first 24 hours. Avoid exercising, lifting heavy items for 72 hours. Avoid straining with bowel movements. Avoid medications containing aspirin for 7 days. Check with your physician if you plan to travel out of town for al least one week. Avoid coarse or high fat foods for 48 hours. You may experience minor discomfort.

*<u>Your physician may change or give additional instructions after the procedure.</u> *Please note that results may take 7-10 business days. *Feel free to contact us through the Patient Portal on our website <u>www.athensgicenter.com</u>, or call our office at 706-548-0058. *A physician may be reached 24 hours a day, 7 days a week, by calling our office at 706-548-0058. After normal business hours, the answering service will take a message and contact the physician on call. Version.kg05.09.2012